



PROFFESSIONAL GRADE WINTER SUPPLIES



Call to Order 877.446.4352 midlandtool.com



Mi-T-M Inverter Generators

Powerful yet quiet and equipped with carbon monoxide detection, these new inverter generators are great for charging tools and powering sensitive electronic equipment.

GEN-2500-IMM1 GEN-3500-IMM1 GEN-4000-IMM1E 4000 watts

2500 watts 3500 watts



45,000 BTU 540° Degree **Tank Top Heater**

#MH540T



Air Propane Heater



M18™ 70.000 BTU Forced

#0801-20



CFM and 99% fuel efficiency 055 1000 DI 400 DF 1000 DF



Milkhouse Fan Forced **Electric Heater**

#SS1847

| BTU/H Rating | 5120 |
|--------------|------|
| Electric | 120V |
| Dimensions | |



Tradesman® 125 BTU/H Rating 70,000-125,000

#Tradesman-125

Heated Air

BTU/H Rating 70,000–125,000 400 CFM

Output (CFM) Fuel Type Fuel

ΙP

On Low: 3.3 lbs/hr Consumption On High: 5.8 lbs/hr



Tradesman® 170 **BTU/H Rating** 125.000-170.000

#Tradesman-170

BTU/H Rating | 125,000–170,000 Heated Air Output (CFM) Fuel Type

550 CFM

ΙP

Fuel On Low: 5.8 lbs/hr Consumption On High: 7.8 lbs/hr



Tradesman® 170 Ultra **BTU/H Rating** 125.000-170.000

#Tradesman-170

BTU/H Rating 125,000-170,000 Heated Air 550 CFM Output (CFM) ΙP Fuel Type

Fuel On Low: 5.8 lbs/hr Consumption On High: 7.8 lbs/hr



Tradesman® K75 **BTU/H Rating 75,000**

#Tradesman-K75

| BTU/H Rating | 75,000 |
|----------------------------|------------|
| Heated Air Output (CFM) | 265 CFM |
| Fuel Type | Kerosene* |
| Fuel Consumption | 0.6 gal/hr |



Tradesman® K125

#Tradesman-K125

| BTU/H Rating | 125,000 |
|----------------------------|-------------|
| Heated Air Output (CFM) | 520 CFM |
| Fuel Type | Kerosene* |
| Fuel Consumption | 0.95 gal/hr |



Tradesman® K175

#Tradesman-K175

| BTU/H Rating | 175,000 |
|----------------------------|------------|
| Heated Air Output (CFM) | 600 CFM |
| Fuel Type | Kerosene |
| Fuel Consumption | 1.3 gal/hr |



Tradesman® K210 BTU/H Rating 125,000 BTU/H Rating 175,000 BTU/H Rating 210,000

#Tradesman-K210


| BTU/H Rating | 210,000 |
|----------------------------|------------|
| Heated Air Output (CFM) | 650 CFM |
| Fuel Type | Kerosene* |
| Fuel Consumption | 1.6 gal/hr |



Tradesman® K400 Ultra **BTU/H Rating 80,000**

#Tradesman-K400

| BTU/H Rating | 80,000 |
|----------------------------|------------|
| Heated Air Output (CFM) | 450 CFM |
| Fuel Type | Kerosene* |
| Fuel Consumption | 3.7 gal/hr |







WINTER SUPPLIES



Mid-Sole Ice Cleat, **Original Profile, One Size**

#K1-MIDSOLE



TREX Spike Ice Traction Device

Large X-Large 2X-Large #E16734 #E16735 #E16736



Ice Traction Spikes

Small/Medium Large/X-Large #08540



Ice Traction Chains

X-Large #08523



Boss® Therm™ Heated **Vest Kit**

#300-HV100



Knit Cotton/Polyester String Glove, 7 Gauge, Natural, Large

#35-C110/L



Cut Level 1 Winter Dipped Gloves

#48-22-8910B Small #48-22-8911B Medium #48-22-8912B Large #48-22-8913B X-Large #48-22-8914B 2X-Large



Thermostat Machine Knit Glove Liner

#FB-C3830 Large



ANSI A2 Cold Weather Cut Resistant Glove

#GC2634-OA-MED Medium #GC2634-OA-LG Large #GC2634-OA-XL X-Large #GC2634-OA-XXL XXL-Large



Endura® Goat Skin **Driver's Thinsulate** Glove

#378GOBTKLS #378GOBTKLM #378GOBTKLL #378GOBTKLX #378GOBTKLXX



Small Medium Large X-Large 2X-Large



#3999S Small #3999M Medium #3999L Large #3999XL X-Large



N-Ferno® 6990 Hand Warming Packets

#ER-6990

- 40 per box
- Stay warm up to 12 hours

CHAPIN



Aluminum Snow Pusher

1640400 1640000 Blade Width 18" Blade Type Aluminum Coated Handle Type D-Handle



Poly D-Handle Shovels

1574600 1627200 Item # Blade Width 16" Blade Type Poly w/ Steel Handle Handle Type D-Handle



Antifreeze, 1 Gallon

#LUB110

- Concentrated blend
- Freezing point: -34° F



Morton Pro Grade Rock Salt

#SS0044



Ice Melt Pellets, 50 LB

#SS0043P



Walk-Behind Salt Spreader

#Salt Spreader



N-Ferno® 2-Layer **Thermal Liner**

#ER-6840



N-Ferno® 2-Laver FR **Thermal Liner** #ER-6860



N-Ferno® 3-Layer **Thermal Liner**

#ER-6952



N-Ferno® Fleece Balaclava

#ER-6821



Jumper Cables

#420SCHD



Air Tool Oil

1 Pint #184581 1 Gallon #184298





M18™ 70,000 BTU Forced Air Propane Heater

Item # 0801-20

HEAT OUTPUT RATED UP TO 70,000 BTU

- Provides heat up to 1,700 sq ft
- Not for living areas
- Adequate ventilation required

ACCESSIBLE BUTTON LOCATION


Easily start and adjust heat settings



ON/OFF

IGNITION

TEMPERATURE CONTROL



BRUSHLESS MOTOR

Provides extended run-time and longer life



PROPANE TANK SOLD SEPARATELY

> M18" BATTERY AND AC PORT

AUTO SHUT-OFF GAS VALVE

Prevents propane leakage from unit



LIGHTING



Enduro® Pro Haz-Lo® Headlamp w/ 3 AAA **Batteries**

#S61424



Septor® Headlamp w/ 3 AAA Batteries

#S61052



Trident® Multi-Purpose Headlamp w/ 3 AAA **Batteries**

#S61050



Energizer.

Contractor 3 LED Industrial Headlight w/ 3 **AAA Batteries**

#HDBIN32E



TRUEVIEW™ Headlamp w/ 3 AAA Batteries

#2103M



REDLITHIUM™ USB Hard **Hat Headlamp Kit**

#2111-21



MX FUEL™ ROCKET™ **Tower Light Kit**

#MXF041-1XC

• (1) MX FUEL™ REDLITHIUM™ XC406 Battery Pack



M18TM ROCKETTM Dual **Power Tower Light**

#2131-20



M18TM ROCKETTM **Tower Light/Charger**

#2136-20



M18™ RADIUS™ **Compact Site Light with** Flood Mode

#2144-20



M18™ Radius **Compact Site Light**

#2145-20



M18TM RADIUSTM **Compact Site Light** w/ ONE-KEYTM

#2146-20



RADIUS™ LED 70w **Temporary Site Light**

#2155-AC



LED Temporary Area Lights -22,500 Lumens

#08-00405



500W Halogen Work Light

#L33



500W Dual Halogen Lamp with Stand

#L14126



Single & Dual Head LED **Work Light**

#V08-00733 - Single #V08-00734 - Dual



AC LED Work Light

#08-00731 - 4,400 Lumens #08-00734 - 8800 Lumens



16/3 SJTW LED ProSeries String Lights

08-00507 - 50 ft 08-00508 - 100 ft



12/3 SJTW String Lights with Metal Cage

#A9513-050-YW - 50 ft #A9513-100-YW - 100 ft





POWER



10/3 SJTW Yellow **Extension Cords with Lighted End**

W0517 - 50 ft W0518 - 100 ft



12/3 SJTW Yellow **Extension Cords with Lighted End**

W528 -25 ft 05-00365 -50 ft 05-00366 - 100 ft



12/3 Extreme Cold **Weather Extension Cords with Lighted Plug**

99025 - 25 ft 99050 - 50 ft 99100 - 100 ft



14/3 AWG 3-Conductor **300V SJTW Extension** Cord

C4314-50-OR - 50 ft C4314-100-OR - 100 ft



12/3 SJTW Yellow Lighted **Triple Tap Extension Cords**

C4512-050-OR - 50 ft C4512-100-OR - 100 ft



Male Plug, Heavy Duty

5266N



Female Plug, Heavy Duty 5269N

20 AMP Twist Lock Plug, **Female**

12-002330B

12-00229B



20 AMP Twist Lock Plug, Male



RAY®VAC

Alkaline Battery, 24 Pack #DC-AA



#DC-AAA



MX FUEL™ CARRY-ON™ 3600w/1800W Power Supply Kit

Our MX FUEL™ CARRY-ON™ 3600W/1800W Power Supply provides the best temporary power for the job. You can power more on-demand with efficient, quiet, and portable power anywhere.

#MXF002-2XC



SAFETY





Beamer® 2000 Fall Arrest Anchor #GF-00102



Beamer® BBC Fall Arrest Anchor #GF-00130



Halo Web SRL, 20' 30', Galvanized Steel Snap Hook

#GF-10910 20 ft #GF-10915 30 ft



Halo Cable SRL-LE, 20' 30', Steel Snap Hook

#GF-10920 20 ft #GF-10925 30 ft

OSHA TOP

Workplace Safety Violations of FY 2022

Fall Protection - General

Total Violations: 5,260 (1926.501)



Hazard Communication

Total Violations: 2,424 (1910.1200)



Respiratory Protection

Total Violations: 2,185 (1910.134)



Ladders

Total Violations: 2, 143 (1926.1053)



Scaffolding

Total Violations: 2,058 (1926.451)



Lockout/Tagout

Total Violations: 1,977 (1910.147)



PPE - Eye/Face Protection

Total Violations: 1,401 (1926.102)





Bolt Hole Anchor #GF-00230



G-Bolt Concrete Anchor

#GF-00235



Halo Web SRL, 11' Steel Snap Hook

#GF-10900



Double Diablo SRL-LE, 8', Steel Snap Hook

#GF-11074



GR6 Web SRL, Steel, 6', Snap Hook

#GF-32000



Vinyl-Coated Galvanized Cable Choker Anchor, 2-1/2" & 3" O-Ring Ends

| Item# | Size |
|------------|------|
| GF-10450 | 3 ft |
| GF-10452 | 6 ft |
| GF-10450-8 | 8 ft |



Premium Cross-Arm Straps

| Item# | Length |
|----------|---------|
| GF-10785 | 3 Feet |
| GF-10787 | 6 Feet |
| GF-10790 | 10 Feet |
| GF-10792 | 15 Feet |
| GF-10793 | 20 Feet |



Series 1 Full Body Harness

Chest pass-throughLeg tongue buckles

| Item# | Size |
|----------|----------|
| GF-37004 | XS - S |
| GF-37005 | M - L |
| GF-37006 | XL - XXL |



Series 3 Full Body Harness

- · Leg tongue buckles
- · Waist Pad with side-D-rings

| Item# | Size |
|----------|----------|
| GF-37192 | XS - S |
| GF-37193 | M - L |
| GF-37194 | XL - XXL |

SAFETY



For more information, request a 2023
Catalog or visit
midlandtool.com







MSDS Right to Know Tags, 25 pk

#RTK-03



Caution Barricade Black/Yellow Tag, 25 pk

#VT-154



Danger Highly Flammable Sign

#D-375033



Tagboard Danger Equipment Lockout Tag, 25 pk

#TB-147



Danger Barricade Tag, 25 pk

#VT-1540CC



Workers Working Above Danger Sign

#D-460733

RESPIRATORY PROTECTION



2300 Series N95 Particulate Respirator with Valve, 10/Box

#M0-2300



4200 Series AirWave N95 Particulate Respirator, Medium/ Large, 10/Box

#M0-4200



P100 High Efficiency Filter, 2 pk

#M0-7940



9000 Series Reusable Full Face Respirator Mask

#M0-9002 Medium #M0-9003 Large



7000 Series Half Face Respirator Mask

#M0-7002 Medium #M0-7003 Large

LOCKOUT TAGOUT



Laminated Padlock Keyed Alike

#1KA #1, 1-3/4" #5KA #5, 2" #1KALJ #1, 1-3/4" Long Shackle



Anodized Aluminum Lockout Lock, 3" Shackle

#A1107RED #A1107GRN #A1107BLU #A1107BLK #A1107YLW



Thermoplastic Lockout Lock, 1-1/2" Shackle

#410RED #410GRN #410BLU #4100RJ #410YLW #410BLK



Metal Group Lockout Box

#498A



Wall Mounted Lockout Station

#\$1850E410









Spring Cap Mount



Bulldog™ Safety Glasses, Gray

Bulldog™ Safety Glasses, Clear

#EHB20S

#EHF10S



Honeywell

Eyesaline® Emergency Eye/Face Wash, 2 Bottle Wall Station. 32 oz Bottles

#SS0032



Passive Welding Helmet

- Multiple mount options
- 2" x 4-1/4" lift front

| Item # | Description |
|--------------|--------------------------|
| JP-HSL2-187S | Blade Mount for Hard Hat |
| JP-HSL-2 | Head Mount |
| JP-HSL2-386 | Spring Cap Mount |





Disposable Lens Cleaning Station, 1,200 Tissues, 16 oz **Lens Cleaner Spray**

#SS0102



First Aid Kit w/ Eye Wash, Plastic, 10 Person

10/10

#SS0098



First Aid Kit, Plastic, **ANSI Class A.** 25 Person

#SS0100



First Aid Kit, Metal, ANSI Class A, 50 Person

#SS0101



First Aid Kit, Metal, **ANSI Class B.** 100 Person

#SS0097





| Item # | Size |
|------------|----------|
| 34-874/XS | X-Small |
| 34-874/S | Small |
| 34-874/M | Medium |
| 34-874/L | Large |
| 34-874/XL | X-Large |
| 34-874/XXL | XX-Large |
| | |



ExtraFlex Foam Nitrile Coated Cut-Resistant Gloves, ANSI A3, Vi-His Yellow

| Item # | Size |
|--------------|----------|
| 04-300HV/S | Small |
| 04-300HV/M | Medium |
| 04-300HV/L | Large |
| 04-300HV/XL | X-Large |
| 04-300HV/XXL | XX-Large |



ProFlex 7041 Nitrile-Coated Cut-Resistant Gloves, ANSI A4, Hi-Vis Lime

| Item # | Size |
|----------|----------|
| ER-17813 | Medium |
| ER-17814 | Large |
| ER-17816 | X-Large |
| ER-17817 | XX-Large |



TOOL RENTAL & REPAIR

NEW



Husqvarna FS 413 Walk Behind Concrete Saw

| • | |
|----------------------------|---|
| SPECIFICATIONS | |
| Item # | FS 413 |
| Output Power | 11.7 hp |
| Cutting Depth, Max | 7.6" |
| Blade Diametwr, Max | 20" |
| Arbor Diameter | 1" |
| Dimensions / Weight | L 61.2" W 19.9" H 47.2" / 306 lb |

NEW



Husqvarna MS 610 Masonary Saw

| SPECIFICATIONS | |
|---------------------------|-----------|
| Item # | MS 610 |
| 230 V 14" 1-PH , 60 Hz US | 967673504 |
| Power Source | Corded |
| Blade Diameter, Max | 20" |
| Cutting Depth, Max | 8" |

NEW



BOSS™ 400,000 & 1,000,000 BTU/HR Direct Fired Heaters

Push big heat into large, wide open job sites and warehouses with high CFM and 99% fuel efficiency

| SPECIFICATIONS | | |
|----------------------------|---|---|
| Item # | 400 DF | 1000 DF |
| BTU/H Rating | 400,000 | 1,000,000 |
| Blower Fan Output (CFM) | 2,500 | 5,000 |
| Heat Type | Direct Fired* | Direct Fired* |
| Fuel Type | Dual Fuel - LP/NG | Dual Fuel – LP/NG |
| Ignition Type | Spark | Spark |
| Motor Horsepower | 1/2 HP | 1 HP |
| Dimensions | L 49-7/8" W 21.25" H 22.5" | L 65" W 31" H 23.25" |
| Weight | 125.0 | 300.0 |
| Built-In-Volt Meter | Yes | Yes |
| Built-In-Thermostat | Yes | Yes |
| Vent Mode | Yes | Yes |
| Ductable | No | No |
| Omni Certified U.S./Canada | ANSI Z83.7-2017 / CSA 2.14-2017 | |

NEW




Elliot Tool Air Turbine Style Aluminum Siphon Tube Cleaners

| SPECIFICATIONS | |
|----------------|----------------------|
| Item # | D600 |
| Size | 0.495" – 13.225 |
| Tube Section | Straight & Curved |
| Туре | Powder, & Rock Solid |

SUPERIOR TOOL RENTAL & REPAIR

NEW







JD Neuhaus Capacities: 1/2 Ton and 6/3 Ton MINING Hoist

JDN Air Hoists of the **M Series** are the specialists for underground mining operations. Due to their versatility they are nowadays also deployed in many different industrial fields. Generally they have the same features as the hoists of the PROFI series but operate with an air pressure of only 4 bar. Two different control systems are available.

A2 FURTHER SIGNIFICANT FEARURES AS STANDARD:

- Suitable for use in hazardous areas with risk of explosion
- Two chain falls for alternate working
- Specially designed for horizontal moving of loads

SPECIFICATIONS

| Air Pressure | (psi) (bar) | 60 4 |
|---|----------------|--------------|
| Capacity | (mt) | 3/6 |
| Capacity | (lbs) | 6,600/13,860 |
| Lifting speed at full load | ft/min | 7.2/3.6 |
| Lowering speed at full load | ft/min | 19.7/9.8 |
| Air consumption at full load - lifting | cfm | 77.7 |
| Air consumption at full load - lowering | cfm | 113 |
| Weight with standard lift | lbs | 2205 |

NEW



Battery Torque Tool, Ideal for applications where compressed air is not available

| SPECIFICATIONS | | |
|------------------|--|---|
| Item # | DB-RAD-500-2 | DB-RAD-1500-2 |
| Drive Size | 3/4" | 1" |
| Torque (ft.lbs.) | Low 50 High 500 | Low 150 High 1500 |
| RPM | 59 | 17 |
| Weight | 11 lbs | 11.8 lbs |
| Dimensions | L 12.67" W 2.5" H 10.5" | L 13" W 2.7" H 10.5" |

NEW



Doosan Compressor 185 CFM, Rotary Screw/Single-Stage

| SPECIFICATIONS | |
|---|---|
| Item # | P185 |
| Free-Air Delivery - cfm (m3/m) | 185 (5.2) |
| Rated Operating Pressure – psig (bar) | 100 (6.9) |
| Pressure Range – psig (bar) | 80 – 150 (5.5 – 10.3) |
| Doosan FlexAir Flow Range | 184 – 150 (5.2 – 4.2) |
| Air Discharge Outlet NPT Size – in (mm) | 0.75 (19) |
| Air Discharge Outlet Quantity | 2 |
| Fuel Tank Capacity - gal (L) | 34.5 (130.6) |
| Dimensions with Running Gear | L 137.4" W 68.5 H 67.5 |
| Weight w/Fuel | 2477 lb |

ELECTRIC LIGHT TOWERS




160 Watt x 4 Lamp Electric Light Towers

• Latest LED light technology • Red Rock PE canopy • Easily to transport due to compact size

| SPECIFICATIONS | |
|---------------------------|--|
| Item # | CPLT E3 LED |
| Light Coverage | 32,300 ft ² (10 lux average) |
| Flood Lights | 4 high efficiency LED flood lights |
| Flood Light Wattage | 160 W x 4 lights |
| Mast Type | Vertical, manual, non-rotating, 4 stabilizers, 51 mph max wind speed, 23 ft max height |
| Enclosure | Red Rock PE canopy |
| Frame Specs | Spillage free frame |
| Power Source | Electric, powered by CPPG Generator and mains. Can daisy chain 3 units together. |
| Transportability | Compact (32 units per truck), forklift pockets, lifting eye, wheels and handle kit |
| Rated Frequency | 60 Hz |
| Rated Voltage | 120 VAC |
| Dimensions/ Weight | 48" L x 32" W x 84" H (23 ft with mast fully extended) / 551 lbs |

DIESEL LIGHT TOWERS



Almand

320 Watt x 4 Lamp Diesel Light Towers

| SPECIFICATIONS | |
|-------------------------------|---|
| Item # | NLPROV-K1005C |
| Engine Brand / Model | Kubota / D1105 |
| Engine Prime Power (kW)** | 7 |
| Fuel Capacity | 47 gal |
| Light Type-LED | (4) Two LED, 5000° K color temperature |
| LED Wattage (per lamp) | 320 |
| LED Lumens (per lamp / total) | 38,500 / 154,000 |
| Operating Time | 155.2 hrs. |
| | Standard 20 A 120 VAC duplex GFCI / 30 A 240 |
| Outlets | VAC 4-Wire Twist Lock (NEMA L14-30R) / |
| | 30 A 120 VAC RV (NEMA TT-30R) |
| Weight / Dimensions | 2,200 lbs / L x 120.3" W x 100.6" H (26.6 ft with mast fully extended) |









PROFESSIONAL GRADE INDUSTRIAL SUPPLIES & RENTALS

Midland Tool & Supply and Superior Tool Rental & Repair, provides industrial supplies, rentals, equipment repair and unique services to jobsites across the USA. Our companies are headquartered in Oak Park, Michigan (Greater Detroit), with branch offices in Calumet City, Illinois (Greater Chicago) and Madison, Illinois (Greater St. Louis). With a dedicated fleet of delivery vehicles and over 12,000 in-stock products and rentals, we are your source for Professional Grade Industrial Supplies and Rentals.









Over 12,000 Products & Rentals



Industrial Tool & Equipment Rental



Delivery Via Private Fleet or FedEx



24/7 – 365 Emergency Service & Delivery



StockUp®
Onsite Supply



Onsite Bolting Services



Product & Rental Demo Trailers



Onsite Weld Testing Facilities



Customer Repair & Warranty Service Center




Calibration, Testing & Certification













PRODUCTS

ENERPAC II

Job-Site Storage

Master

JOBOX

Arro-Mark

IGIOO

MARKAL

V. VOLTEC

RENTALS

Material

Handling

Hougen

SUNITEC

SKF



K

Wel:Co

ALFA

CHAMPION









100

Wassen or a

Power Tools



Lifting &

Rigging

SAN-EI AIR WINCH

the Grosby and





ARO


Hvdraulic

Equipment

ENERPAC II

Air Handling






0








G GHEENLEE.

FLUKE-




Piper & Industrial Tours

RIDGID

Southwire



MOTOROLA




















877.446.4352

midlandtool.com



superiortoolrental.com

