




NATIONAL DISTRIBUTOR OF QUALITY  
MAINTENANCE SUPPLIES SINCE 1958

1-800-558-2808



MY ACCOUNT

SERVICES

PDF CATALOG

CHARTS

MSDS

NEW PRODUCTS

ABOUT US

CONTACT US

HELP

Home > Products > Chemicals & Paint > MSDS Sheets > MSDS 7605 -- [Back]

LOGIN

Login E-mail:

Password:

GO

Apply for an account! »

[7585](#): Air Tool Oil 4 Oz Bottle [4]  
[7605](#): Air Tool Oil Quart [1]  
MSDS Last updated: 09/08/2008  
June 29, 2006

# MSDS 7605

MATERIAL SAFETY DATA SHEET

PRODUCT SEARCH

GO

Advanced Search »

- All Products
- Fasteners
  - » Grade 8
  - » Grade 5
  - » Threaded Fasteners
- Hardware
- Rivet & Rivet Guns
- Vehicle Lighting
- Electrical Products
- Tubing & Tube Fittings
- Air Brake Products
- Hose & Hose Ends
- Cutting Tools
- Abrasives
- Safety Products & Welding Supplies
- Chemicals & Paint
  - » MSDS Information
  - » CA/OTC Information
- Shop Supplies
- Vehicle Parts & Accessories
- Assortments & Steel Equipment
  - » Assortment Listing
- Online Catalog Index
- Discontinued & Overstock Specials

Printer-Friendly View

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME	Marvel Air Tool Oil
PRODUCT CODE	MM080, MM085, MM85R, MM086, MM088R, MM089 MM
CHEMICAL FAMILY	Petroleum Distillates
CHEMICAL NAME	Complex Mixture of Hydrocarbons
FORMULA	Mixture
MANUFACTURER	EMERGENCY TELEPHONE NUMBERS
Marvel Oil Company, Inc 625 Willowbrook Centre Parkway Willowbrook, IL 60527 Phone: 630-455-3866 Fax: 630-455-3868	Transportation: CHEMTREC: 800-424-9300 Medical: ROCKY MTN POISON CTR: 800-332-3073

2. POSITION/INFORMATION ON INGREDIENTS

COMPONENT	CAS NUMBER	CONCENTRATION (wt %)
Naphthenic Hydrocarbons	64742-52-5	70 80
Mineral Spirits	08052-41-3	20 30
Chlorinated Hydrocarbons	00095-50-1	01
EXPOSURE LIMITS 8 hrs. TWA(ppm)		
	OSHA PEL	ACGIH TLV
Naphthenic Hydrocarbons	5 as oil mist	5 as oil mist
Mineral Spirits	100	100
Chlorinated Hydrocarbons	25	25

3. HAZARDS IDENTIFICATION

## POTENTIAL HEALTH EFFECTS

INHALATION: Can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation.

INGESTION: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

SKIN CONTACT: Prolonged or repeated contact can cause moderated irritation, defatting or dermatitis.

EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

### 4. FIRST AID MEASURES

EYE: Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

SKIN: Thoroughly wash exposed area with soap and water. Remove contaminated clothing. Launder before re-use.

INHALATION: Remove person to fresh air. If breathings difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm and quiet. Call a physician.

INGESTION: Do not induce vomiting. Keep person quiet and warm. Get medical attention. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal.

### 5. FIRE FIGHTING MEASURES

FLASH POINT: 128 ° F (53 ° C) TCC

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, foam.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with full facepiece operated with positive pressure-demand when fighting large fires.

### 6. ACCIDENTIAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Ventilate area. Remove sources of ignition. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

### 7. HANDLING AND STORAGE

STORAGE TEMPERATURE (MIN./MAX.): -40 ° F (-40 ° C)/ 120 ° F (49 C)

SHELF LIFE: 3 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

HANDLING AND STORAGE PRECAUTIONS: Empty containers may be dangerous since fumes may still exist. Observe precautions given for this product as stated in this document.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE PROTECTION REQUIREMENTS: Splash goggles.

SKIN PROTECTION REQUIREMENTS: Wear chemically resistant gloves.

RESPIRATOR/VENTILATION REQUIREMENTS: Provide sufficient ventilation to avoid exposure levels above the established TLV's.

EXPOSURE LIMITS: Not established for product as whole.

Mineral Spirits	NIOSH	100 ppm TWA
Oil Mist	OSHA	5 mg/m3

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Thin liquid

COLOR: Red

ODOR: Petroleum

BOILING POINT: Not determined

MELT / FREEZE POINT - 60 ° F ( - 51 ° C)

PH: Not applicable

SOLUBILITY IN WATER: Insoluble

SPECIFIC GRAVITY: 0.876 @ 60 ° F (15.6 ° C)

% VOLATILE BY WEIGHT: 25 %

VAPOR PRESSURE: Not determined

VAPOR DENSITY: Not determined

10. REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

INCOMPATIBILITIES: Strong oxidizing agents.

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and hydrocarbons.

11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Aspiration into lungs can cause pneumonitis which can be fatal.

CHRONIC INHALATION: Not determined.

ACUTE SKIN CONTACT: Prolonged or repeated contact can cause moderate irritation, defatting or dermatitis.

CHRONIC SKIN CONTACT: Not determined.

ACUTE EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Ignitable hazardous waste, EPA Hazardous Waste Number D001

WASTE DISPOSAL METHOD: Dispose of product in accordance with all local, state and federal laws and regulations.

14. TRANSPORT INFORMATION

DOT INFORMATION:

PROPER SHIPPING NAME:	Non Bulk	Not regulated
	Bulk	Petroleum distillates, n.o.s.

TECHNICAL SHIPPING NAME:		Fuel and oil additive
--------------------------	--	-----------------------

HAZARD CLASS:	Non Bulk	ORM-D
	Bulk	Class 3

UN NUMBER:		UN 1268
------------	--	---------

PRODUCT RQ (lbs):		None
-------------------	--	------

LABEL:	Non Bulk	ORM-D
	Bulk	Flammable Liquid

PLACARD:	Non Bulk	None
	Bulk	Flammable Liquid

FREIGHT CLASS BULK:		PG III
---------------------	--	--------

FREIGHT CLASS PACKAGE:		None
------------------------	--	------

PRODUCT LABEL		None
---------------	--	------

15. REGULATORY INFORMATION

TSCA STATUS:		All ingredients listed.
--------------	--	-------------------------

CERCLA REPORTABLE QUANTITY:		None
-----------------------------	--	------

SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES		None
--	--	------

SECTION 311/312 HAZARD CATEGORIES

Acute Health	Yes
--------------	-----

Chronic Health	Yes
----------------	-----

Fire	Yes
------	-----

Reactive	No
----------	----

Sudden Release of Pressure	No
----------------------------	----

SECTION 313

CHEMICAL NAME	CAS NUMBER	CONCENTRATION
Ortho-dichlorobenzene	00095-50-1	0 -0.25 %

RCRA STATUS: If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

CANADIAN STATUS: All materials contained in this product are listed on the Canadian Domestic Substances List.

EUROPEAN UNION: All materials contained in this product are listed on EINECS.

STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT/ CAS NUMBER	CONCENTRATION	STATE CODE
p-dichlorobenzene 00106-46-7	less than 150 ppm	CA

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

16. OTHER INFORMATION

HMIS CLASSIFICATION	Health	2
	Flammability	2
	Reactivity	0
	PPI	B
NFPA RATING	Health	2
	Fire	2
	Reactivity	0
	Special	None

REASON FOR ISSUE: Revise address, phone & fax numbers

PREPARED BY: Richard P. Kelly

TITLE: Technical Manager

APPROVAL DATE: June 29, 2006

SUPERCEDES DATE: June 9, 2005

REVISION NUMBER: #07

This information is to the best of Marvel Oil Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use.

Msdsmm080-3.doc

**The information contained in this MSDS was obtained from current and reliable sources, however, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions or handling, storage and disposal of this product are beyond the control of Imperial Supplies LLC, Imperial will not be responsible for loss, injury, or expense arising out of the products improper use. No warranty, expressed or inferred, regarding the product described in this MSDS shall be created or inferred by any statement in this MSDS. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.**

For more product information by email, [click here](#)

**Imperial Supplies LLC does not provide services and products outside the United States**

[Home](#) | [My Account](#) | [Print Catalog](#) | [On-line Catalog](#) | [New Products](#) | [Imperial Services](#) | [Charts](#) | [Contact Imperial](#) | [About Imperial](#)  
[Conditions of Use](#) | [Warranty](#) | [Opt Out](#) | [Career Opportunities](#) | [Request Info](#) | [Downloads](#) | [Privacy Policy](#) | [Links](#) | [Site Map](#) | [HELP!](#)



© 2008 Imperial Supplies LLC Questions or comments? [Contact us.](#)