


SHACKLES




Bow Shackles with Screw Collar Pin

• Hot Dipped Galvanized

SPECIFICATIONS

Working Load Limit (tons)	Dimensions (in)										Weight Each (lbs)
	Diameter Bow	Diameter Pin	Diameter Eye	Width Eye	Width Inside	Length Inside	Width Bow	Length	Length Bolt	Width	
	A	B	C	D	E	F	G	H	I	J	
0.33	3/16	1/4	1/2	3/16	3/8	7/8	5/8	1-13/32	1-5/32	1-1/32	0.05
0.5	1/4	5/16	21/32	9/32	15/32	1-5/32	25/32	1-29/32	1-1/2	1-11/32	0.11
0.75	5/16	3/8	25/32	11/32	17/32	1-1/4	7/8	2-7/32	1-27/32	1-9/16	0.22
1	3/8	7/16	7/8	13/32	21/32	1-7/16	1-1/32	2-1/2	2-1/8	1-13/16	0.3
1.5	7/16	1/2	1-1/32	7/16	3/4	1-11/16	1-5/32	2-29/32	2-11/32	2	0.42
2	1/2	5/8	1-11/32	1/2	7/8	2	1-1/4	3-1/2	2-7/8	2-9/32	0.79
3.25	5/8	3/4	1-9/16	5/8	1-1/16	2-17/32	1-11/16	4-11/32	3-1/2	2-15/16	1.38
4.5	3/4	7/8	1-13/16	3/4	1-7/32	3	2	5-3/32	4-1/16	3-1/2	2.22
6.5	7/8	1	2-1/16	7/8	1-13/32	3-9/32	2-9/32	5-21/32	4-11/16	4-1/32	3.31
8.5	1	1-1/8	2-5/16	31/32	1-11/16	3-3/4	2-11/16	6-15/32	5-13/32	4-21/32	4.86
9.5	1-1/8	1-1/4	2-19/32	1-3/32	1-27/32	4-1/4	2-15/16	7-9/32	6-1/32	5-5/32	6.97
12	1-1/4	1-3/8	2-27/32	1-1/4	2	4-17/32	3-9/32	7-29/32	6-11/16	5-25/32	9.49
13.5	1-3/8	1-1/2	3-5/32	1-3/8	2-1/4	5-1/4	3-5/8	8-15/16	7-5/16	6-3/8	12.24
17	1-1/2	1-5/8	3-15/32	1-1/2	2-3/8	5-3/4	3-29/32	9-13/16	8	6-7/8	16.37
25	1-3/4	2	4-1/16	1-25/32	2-29/32	7	4-31/32	11-13/16	9-9/16	8-1/2	28.31
35	2	2-1/4	4-3/8	1-31/32	3-9/32	7-3/4	5-7/16	13-1/32	10-23/32	9-3/8	40.01
42.5	2-1/4	2-9/16	5-1/8	2-1/4	3-3/4	8-3/4	6-5/16	14-27/32	12-7/32	10-25/32	57.96
55	2-1/2	2-3/4	5-23/32	2-9/16	4-1/8	10-1/4	7-3/32	17-1/16	13-17/32	12-7/32	82.89

VAN BEEST



Bow Shackles with Safety Bolt

• Hot Dipped Galvanized

SPECIFICATIONS

Working Load Limit (tons)	Dimensions (in)											Weight Each (lbs)
	Diameter Bow	Diameter Pin	Diameter Eye	Width Eye	Width Inside	Length Inside	Width Bow	Length	Length Bolt	Width	Thickness Nut	
	A	B	C	D	E	F	G	H	I	J	K	
0.5	1/4	5/16	21/32	9/32	15/32	1-5/32	25/32	1-29/32	1-21/32	1-11/32	5/32	0.13
0.75	5/16	3/8	25/32	11/32	17/32	1-1/4	7/8	2-7/32	1-31/32	1-9/16	3/16	0.25
1	3/8	7/16	7/8	13/32	21/32	1-7/16	1-1/32	2-1/2	2-3/8	1-13/16	5/16	0.34
1.5	7/16	1/2	1-1/32	7/16	3/4	1-11/16	1-5/32	2-29/32	2-5/8	2	7/16	0.48
2	1/2	5/8	1-11/32	1/2	7/8	2	1-1/4	3-1/2	3-7/32	2-9/32	1/2	0.92
3.25	5/8	3/4	1-9/16	5/8	1-1/16	2-17/32	1-11/16	4-11/32	3-27/32	2-15/16	21/32	1.62
4.75	3/4	7/8	1-13/16	3/4	1-7/32	3	2	5-3/32	4-1/2	3-1/2	3/4	2.59
6.5	7/8	1	2-1/16	7/8	1-13/32	3-9/32	2-9/32	5-21/32	5-1/8	4-1/32	7/8	3.9
8.5	1	1-1/8	2-5/16	31/32	1-11/16	3-3/4	2-11/16	6-15/32	5-29/32	4-21/32	31/32	5.69
9.5	1-1/8	1-1/4	2-19/32	1-3/32	1-27/32	4-1/4	2-15/16	7-9/32	6-17/32	5-5/32	1-1/16	8.06
12	1-1/4	1-3/8	2-27/32	1-1/4	2	4-17/32	3-9/32	7-29/32	7	5-25/32	1-3/16	10.81
13.5	1-3/8	1-1/2	3-5/32	1-3/8	2-1/4	5-1/4	3-5/8	8-15/16	7-3/4	6-3/8	1-5/8	14.42
17	1-1/2	1-5/8	3-15/32	1-1/2	2-3/8	5-3/4	3-29/32	9-13/16	7-15/16	6-7/8	3/4	18.06
25	1-3/4	2	4-1/16	1-25/32	2-29/32	7	4-31/32	11-13/16	9-13/16	8-1/2	29/32	31.34
35	2	2-1/4	4-3/8	1-31/32	3-9/32	7-3/4	5-7/16	13-1/32	10-19/32	9-3/8	1-1/32	43.77
42.5	2-1/4	2-9/16	5-1/8	2-1/4	3-3/4	8-3/4	6-5/16	14-27/32	11-27/32	10-23/32	1-5/32	62.46
55	2-1/2	2-3/4	5-23/32	2-9/16	4-1/8	10-1/4	7-3/32	17-1/16	13	12-7/32	1-1/4	87.27
85	3	3-1/4	6-3/8	2-7/8	5	12-15/16	7-15/32	20-3/4	14-31/32	13-3/8	1-17/32	136.69

VAN BEEST